

i3 Pro - i3 Touch

Small Giants

COMPAK





Our **i3 Touch** and **i3 Pro** grinders stand out for their compact size and exceptional capabilities. Despite taking up minimal space in the coffee shop, they will handle it all for you. Thinking big, we have designed these small grinders to excel at any task, delivering peak performance

Grinding

Continuous micrometric adjustment


Direct access to the grinding chamber
makes maintenance and cleaning easy

The **new burrs**, made from **highly durable tempered steel 100Cr6**, enhance longevity and, thanks to their design and geometry, enable **quieter grinding**



Direct access to the grinding chamber

The **burrs** can be cleaned or replaced
without the need for unscrewing,
in a **quick, easy, and trouble-free** manner



Continuous micrometric grinding adjustment


i3



Easy grinding
adjustment

Minimal static, improved coffee distribution

i3



**Metallic curtain
for reduced static and
improved coffee distribution**

Burrs features



Made of **high-durability tempered steel (100Cr6)**



Food-grade material



Enhance the durability of standard steel burrs



Reduction in decibels during grinding thanks to the optimization of the burrs' geometry



Made by

barra
SENSORY TECH

Electrical Characteristics



Hidden power cable

The connection with the power cable is hidden at the bottom, reducing the required distance to the power outlet, avoiding tangles, and preventing potential cable damage.




Bottom
view of
the grinder



The **power cable**
runs underneath
the grinder
to the power outlet

Main switch with three positions

i3




Coffee Outlet

The vertical adjustment of the fork ensures
a **perfect coffee distribution in each portafilter**



Optimal ground coffee distribution

The portafilter holding clip can be vertically adjusted to fit **all portafilters on the market** ensuring an **optimal coffee distribution** in the portafilter with consistent dosing every time



Essential fork


Optional in the **i3 Pro** model

Low portafilter

Tall portafilter

Portafilter
Ø 53 mm

Portafilter
Ø 58 mm



Removable coffee tray

Optionally, models with the removable coffee tray can be chosen, which can be detached from the grinder's body, allowing for more space at the bar



Hoppers, features and technical specifications



Compatible hoppers

i3

Customizable hoppers



Hopper 700
(standard)
700 g



Hopper 1250
1.250 g



Hopper 400
400 g



**Customizable hopper with
two sheets 119 x 163 mm**
1.800 g



**Vinyl customizable
hopper**
1.800 g

i3 Pro



i3 Pro features

i3 Pro



Capacitive keypad with LCD display.
Independent pre-programmed selection for one, two doses, or continuous coffee



Height-adjustable portafilter holding clip




Standard hopper 700 g.
Transparent or smoked



Direct access to the grinding chamber for cleaning or changing burrs without losing the adjustment. Micrometric **Parallel System** regulation



Powerful 550W motor with fan at **1.380 rpm**



LCD display

Capacitive keypad with LCD display.
Independent pre-programmed selection
for one, two doses, or continuous coffee

i3 Pro




* Once the time configuration mode is on

Parallel System


i3 Pro

Locking or unlocking the grinding regulator does not alter the parallelism between the burrs

Locking the regulator



Unlocking the regulator



Top combos

i3 Pro

Bolt + i3 Pro



Essential + i3 Pro



Customizations

i3 Pro



Body color




Customizable hopper

i3 Touch



i3 Touch features

i3 Touch



Standard hopper 700 g.
Transparent or smoked



Continuous micrometric grinding adjustment



Powerful 210W motor with fan at **1.340 rpm**



Height-adjustable portafilter holding clip



Timer dial


Timer and working modes

i3 Touch


To adjust the grinding time, turn the timer dial located on the front of the grinder.

By pressing the dosing button, **one or two doses of freshly ground coffee will be dispensed**, depending on whether it is pressed once or twice.

Using the upper portafilter holder, you can execute the programmed grinding cycle in **hands-free mode**



The numbers on the dial indicate the **grinding seconds**



Top combos

i3 Touch

Bolt + i3 Touch



Essential + i3 Touch



Customizations

i3 Touch



Body color









Customizable hopper

Dimensions

Identical for **i3 Pro** and **i3 Touch**



i3 Range

	i3 Pro	i3 Touch	
 Motor	550	210	W
 RPM	1.380	1.340	rpm
 Ø Burrs	58	58	mm
 Burrs durability	800	800	kg
 Production*	2,9	1,5	g/s
 Recommended kg/week	3 - 4	2 -3	kg

* Production based on a medium roast coffee and Espresso grind setting



COMPAK

Compak Coffee Grinders, s.a.

Molí Barri, Parcela B - Pol. Ind. Can Barri 08415 Bigues i Riells - Barcelona - España
Tel. 34 93 703 13 00 - info@compak.es - compakgrinders.com